



المختبر الإستشاري الطبي
ISTISHARI MEDICAL LABORATORY

No: A № 0 14325

SARS-CoV-2 (COVID-19) Test Result

Date 02-07-2021

Scan the code by your camera to match the result and
Press the link

Transaction	ID/Passport #	Patient Name	Age	Gender	Test Date	Result
182594	199350453905	رفل احمد باسم محمد	28 Year(s)	Female	02-07-2021	Positive

- A negative result doesn't exclude the possibility of COVID-19, especially in early disease
- Positive result is indicative of active infection with SARS-CoV-19
- A negative result doesn't preclude SARS-CoV-19 infection and should not be used as a sole basis for the treatment or other patient management decision, so negative result
- must be combined with patient history, and clinical suspicion
- Optimum specimen type and timing for peak viral load during infection has not been determined
- False negative result may occur if the specimen improperly collected, inadequate number of organism or amplification inhibitors are present in the specimen
- The above result for SARS-CoV-2 was done by Real Time PCR Technology
- The lab is not responsible for flights cancellation

المختبر غير مسؤول عن تأجيل رحلات الطيران



المختبر الإستشاري الطبي
ISTISHARI MEDICAL LABORATORY

Lab. Manager

Natiq Hano AlSaraj

02-07-2021

Natiq Hano AlSaraj

3. Sc Microbiologist

للإستشارة الفحوصات المختبرية

077 11 000 881 - 078 11 000 881

info@istisharicare.com

بغداد / حي القادسية - الشارع المجاور
لمستشفى اليرموك - مدخل الطوارئ

Printed By: RMN

Last Update: MUS



الرقم الخاص بنتائج فحص covid
078 05 410 040

القطاع الخاص والسفارات
078 04 515 515

خدمة زبائن covid
078 04 616 616
078 04 212 212

المختبر يعمل صباحاً و مساءً ، الجمعة عطلة المختبر